Version: v1

Revision Date: 2023-11-

14

SAFETY DATA SHEET

Print Date: 2023-11-24

#### SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name : Aluminum nitrate nonahydrate

**Product Number** : A110781 Brand : aladdin CAS-No. : 7784-27-2

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified uses : Laboratory chemicals, Manufacture of substances

#### 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333 Fax : no data available

1.4 **Emergency telephone number** 

> **Emergency Phone** : 0532-83889090

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Class 3), h272

Acute toxicity, oral (category 5), h303

Severe eye injury / eye irritation (Category 1), h318

#### 2.2 GHS Label elements, including precautionary statements





**Pictogram** Signal word

Hazard statement(s)

May intensify fire; oxidizer H272 H303 May be harmful if swallowed H318 Causes serious eye damage

Phone: 400-620-6333 • Email: Sale@aladdin-e.com • Web: https://www.aladdin-e.com

Page: 1/8

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. -

No smoking.

P220 Keep away from clothing and other combustible materials.
P221 Take any precaution to avoid mixing with combustibles/...

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTER or doctor/... if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses i

present and easy to do - continue rinsing.

P370+P378 In case of fire: Use ... to extinguish.

P501 Dispose of contents/container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Aluminum nitrate
Formula : AlH18N3O18
Molecular weight : 375.13
CAS No. : 7784-27-2
EC-NO. : 236-751-8

Component Classification Concentration

Aluminum nitrate nonahydrate

no data available Analytical Reagent,99.0%

# SECTION 4: First aid measures

## 4.1 Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### lf inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

## In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

# In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

# If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Phone: 400-620-6333Email: Sale@aladdin-e.comWeb: https://www.aladdin-e.com

Page: 2/8

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

#### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

## Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

nitrogen oxide alumina Non combustible. The surrounding fire source may cause the release of hazardous vapors

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

no data available

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 6.4 Reference to other sections

For disposal see section 13.

Phone: 400-620-6333Email: Sale@aladdin-e.comWeb: https://www.aladdin-e.com

Page: 3 / 8

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

#### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

#### 7.2 Conditions for safe storage, including any incompatibilities

Room temperature, dry

### 7.3 Specific end use(s)

no data available

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

### 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Phone: 400-620-6333Email: Sale@aladdin-e.comWeb: https://www.aladdin-e.com

Page: 4 / 8

### Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance form: crystal color: White b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 73.5°C f) Initial boiling point and boiling range 2327°C

g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

no data available limits no data available k) Vapour pressure I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

### 9.2 Other safety information

no data available

#### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Risk of explosion with: Reducing agents Cyanides Esters Strong acids Isocyanates Powdered metals sulfur

### 10.4 Conditions to avoid

moisture-proof

### 10.5 Incompatible materials

Multi metal, low carbon steel

Phone: 400-620-6333Email: Sale@aladdin-e.comWeb: https://www.aladdin-e.com

Page: 5 / 8

### 10.6 Hazardous decomposition products

no data available

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 oral - rat - male and female - 3263 mg / kg (OECD Test Guideline 401)

Symptoms: possible damage:, mucosal irritation, cough

LD50 percutaneous rabbit male and female - > 5000 mg / kg (OECD Test Guideline 402) remarks: (compared with similar products)

Corresponding values are specified for the following substances: aluminum sulfate hydrate

#### Skin corrosion/irritation

Skin rabbit results: no skin irritation - 4 h (OECD Test Guideline 404) remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum nitrate

### Serious eye damage/eye irritation

Eye - Rabbit results: severe eye damage was caused. (OECD Test Guideline 405) remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum nitrate

### Respiratory or skin sensitisation

Maximum response test - guinea pig results: no skin allergy. (OECD Test Guideline 406) remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum chloride hexahydrate corresponding values are specified for the following substances: aluminum chloride [anhydrous]

### Germ cell mutagenicity

no data available

# Carcinogenicity

no data available

# Reproductive toxicity

no data available

### Specific target organ toxicity - single exposure

no data available

### Specific target organ toxicity - repeated exposure

no data available

## **Aspiration hazard**

no data available

### **Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

### 12.1 Toxicity

Phone: 400-620-6333

Email: Sale@aladdin-e.comWeb: https://www.aladdin-e.com

Page: 6 / 8

Semi static toxicity test for fish LC50 - Danio rerio (zebrafish) - > 0.105 mg / L - 96 h (OECD Test Guideline 203) remarks: (exceeding the upper limit of solubility of the test substance) (compared with similar products) corresponding values are specified for the following substances: aluminum sulfate tetradecahydrate

Toxicity to bacteria remarks: (compared with similar products) corresponding values are specified for the following substances: aluminum chloride [anhydrous] (aluminum nitrate nine hydrate)

#### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

The PBT / vpvb assessment is not available because the chemical safety assessment is not required / carried out

### 12.6 Other adverse effects

no data available

#### SECTION 13:

#### 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1438 Packing group: III Class: 5.1

Proper shipping name: Aluminum nitrate Reportable Quantity(RQ): no data available Poison Inhalation Hazard: no data

Environmental Hazards: no

IMDG

UN number: 1438 Packing group: III EMS-No: no data available

Proper shipping name: Aluminum nitrate

**IATA** 

UN number: 1438 Packing group: III Class: 5.1

Phone: 400-620-6333Email: Sale@aladdin-e.comWeb: https://www.aladdin-e.com

Page: 7 / 8

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Proper shipping name: Aluminum nitrate

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

### **Further information**

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2023-11- Print Date: 2023-11-

14 24

Phone: 400-620-6333Email: Sale@aladdin-e.comWeb: https://www.aladdin-e.com

Page: 8 / 8