Version: v1

Revision Date: 2023-07-

24

SAFETY DATA SHEET

Print Date: 2023-07-27

#### SECTION 1:Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : Karstedt Catalyst Solution

Product Number : K110178
Brand : aladdin
CAS-No. : 68478-92-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333 Fax : no data available

# 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure (Category 2), H373

Aspiration hazard (Category 1), H304

#### 2.2 GHS Label elements, including precautionary statements

• Phone: +1 (833) 552-7181

Email: QualityAssurance@aladdinsci.comWebsite: https://www.aladdinsci.com/

Page: 1/8

**Pictogram** 

i iotogiaiii	
Signal word Hazard statement(s)	Danger
H226	Flammable liquid and vapor
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H373	Causes damage to organs through prolonged or repeated exposure
H401	Toxic to aquatic life
Precautionary statement(s)	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and] thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

P331 Do NOT induce vomiting.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with

Call a POISON CENTER or doctor/... if you feel unwell.

Wear protective gloves/protective clothing/eye protection/face protection.

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

#### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

P280

P312

Synonyms : Umicore HS221;Platinum(0)-1,3-divinyl-1,1,3,3-tetramethyldisiloxane complex

solution; Karstedt catalyst;1,3-Divinyl-1,1,3,3-tetramethyldisiloxaneplatinum(0)

Formula : C8H18OPtSi2

Phone: +1 (833) 552-7181

Email: QualityAssurance@aladdinsci.comWebsite: https://www.aladdinsci.com/

Molecular weight : 381.48

Classification Component Concentration

**Xylene** 

Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; STOT RE 2; CAS-No.: 1330-20-7

Asp. Tox. 1; Aquatic Chronic 3; H225, H332, H312, H315, H319, H335, H373, <= 100 % EC-No.: 215-535-7

H304, H412

# **Karstedt Catalyst Solution**

CAS-No.: 68478-92-2

Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335 EC-No.: 270-844-4

>= 1 - < 10 %

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

no data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

no data available

# Unsuitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

• Phone: +1 (833) 552-7181

• Email: QualityAssurance@aladdinsci.com • Website: https://www.aladdinsci.com/

Page: 3 / 8

no data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container fol disposal according to local regulations

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and store under inert gas. Moisture sensitive.

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

• Phone: +1 (833) 552-7181

Email: QualityAssurance@aladdinsci.comWebsite: https://www.aladdinsci.com/

Page: 4 / 8

#### 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

# Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU 2016 / 425 and the en 374 standard derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

no data available

# SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless to Yellow

b) Odour
c) Odour Threshold
d) pH
no data available
no data available
no data available
no data available
12-13 °C
f) Initial boiling point and boiling range
138 °C

f) Initial boiling point and boiling range
g) Flash point
no data available
no data available
i) Flammability (solid, gas)
no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.984

n) Water solubility no data available o) Partition coefficient: n-octanol/water p) Auto-ignition temperature no data available no data available

Phone: +1 (833) 552-7181

Email: QualityAssurance@aladdinsci.comWebsite: https://www.aladdinsci.com/

Page: 5 / 8

9.1

q) Decomposition temperature

r) Viscosity

s) Explosive properties N

t) Oxidizing properties N

no data available no data available no data available no data available

### 9.2 Other safety information

no data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

no data available

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known. Other decomposition products - No data available

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - male - 3.523 mg/kg (Xylene)

(EC Directive 92/69/EEC B.1 Acute Toxicity (Oral))

Remarks: (ECHA)

LC50 Inhalation - Rat - male - 4 h - 29 mg/l (Xylene)

(Regulation (EC) No. 440/2008, Annex, B.2)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

LD50 Dermal - Rabbit - male - 12.126 mg/kg (Xylene)

Phone: +1 (833) 552-7181

Email: QualityAssurance@aladdinsci.comWebsite: https://www.aladdinsci.com/

Page: 6 / 8

#### Skin corrosion/irritation

no data available

#### Serious eye damage/eye irritation

no data available

# Respiratory or skin sensitisation

no data available

### Germ cell mutagenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Carcinogenicity

no data available

## Reproductive toxicity

no data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system (Xylene) Acute oral toxicity - Gastrointestinal disturbance (Xylene) Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract. (Xylene)

# Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Central nervous system, Liver, Kidney

## **Aspiration hazard**

May be fatal if swallowed and enters airways. (Xylene) Aspiration hazard, Aspiration may cause pulmonary oedema and pneumonitis. (Xylene)

# **Additional Information**

Blurred vision, Incoordination., Headache, Nausea, Vomiting, Dizziness, Weakness, anemia, Prolonged or repeated exposure to skin causes defatting and dermatitis. (Xylene)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (Xylene)

# **SECTION 12: Ecological information**

12.1 Toxicity

### 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

• Phone: +1 (833) 552-7181

Email: QualityAssurance@aladdinsci.comWebsite: https://www.aladdinsci.com/

Page: 7 / 8

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

Toxic to aquatic life.

#### **SECTION 13:**

#### 13.1 Disposal considerations

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1307 Packing group: III Class: 3

Proper shipping name: Xylenes Reportable Quantity(RQ): no data available Poison Inhalation Hazard: no data

Environmental Hazards: no

**IMDG** 

UN number: 1307 Packing group: III EMS-No: no data available

Proper shipping name: Xylenes

IATA

UN number: 1307 Packing group: III Class: 3

Proper shipping name: Xylenes

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## **SECTION 16: Other information**

# **Further information**

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2023-07- Print Date: 2023-07-

24 27

Phone: +1 (833) 552-7181

Email: QualityAssurance@aladdinsci.comWebsite: https://www.aladdinsci.com/

Page: 8 / 8