

# SAFETY DATA SHEET

Version: v1

Revision Date: 2023-11-

07

Print Date: 2023-11-16

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Nafion™ perfluorinated resin solution  
Product Number : P400486  
Brand : aladdin  
CAS-No. : 31175-20-9(Water)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals,Manufacture of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd  
Address : 36 Xinjinqiao Road, Shanghai  
Telephone : 400-620-6333  
Fax : no data available

### 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 5), H303

Serious eye damage/eye irritation (Category 1), H318

Specific target organ toxicity - single exposure (Category 2), Eyes, Central nervous system,H371

Specific target organ toxicity - single exposure (Category 3), Narcotic effects, H336

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word

Hazard statement(s)

H225

Highly Flammable liquid and vapor

H303	May be harmful if swallowed
H318	Causes serious eye damage
H336	May cause drowsiness or dizziness
H371	May cause damage to organs
<b>Precautionary statement(s)</b>	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor/...
P370+P378	In case of fire: Use ... to extinguish.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. if you feel unwell.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Synonyms	: D520CS
Formula	: no data available
Molecular weight	: no data available

Component	Classification	Concentration
Propanol		

Component	Classification	Concentration
CAS-No. : 71-23-8 EC-No. : 200-746-9	Flammable liquids Category 2; Acute toxicity Category 5; Serious eye damage/eye irritation Category 1; Specific target organ toxicity - single exposure Category 3; H225, H313, H318, H336	>= 20 - < 30 %
<b>Isopropyl Alcohol</b>		
CAS-No. : 67-63-0 EC-No. : 200-661-7	Flammable liquids Category 2; Serious eye damage/eye irritation Category 2A; Specific target organ toxicity - single exposure Category 3; H225, H319, H336	>= 20 - < 30 % Concentration limits: >= 20 %: STOT SE 3, H336;
<b>Methanol</b>		
CAS-No. : 67-56-1 EC-No. : 200-659-6	Flammable liquids Category 2; Acute toxicity Category 3; Specific target organ toxicity - single exposure Category 1; H225, H301, H331, H311, H370	>= 1 - < 10 %
CAS-No. : EC-No. :	Flammable liquids Category 2; Specific target organ toxicity - single exposure Category 3; H225, H336	>= 1 - < 10 %

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

no data available

## **5.2 Special hazards arising from the substance or mixture**

Carbon oxides Sulfur oxides Hydrogen fluoride

## **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

## **5.4 Further information**

Use water spray to cool unopened containers.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

### **6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **7.2 Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Test for peroxide formation periodically and before distillation.

### **7.3 Specific end use(s)**

no data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

##### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection,use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

##### Control of environmental exposure

no data available

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available

j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

## 9.2 Other safety information

no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Reacts with air to form peroxides. The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Warming. Moisture.

### 10.5 Incompatible materials

Oxidizing agents, Acids, Alkali metals

### 10.6 Hazardous decomposition products

Peroxides

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

---

#### Skin corrosion/irritation

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: <https://www.aladdinsci.com/>

no data available

**Serious eye damage/eye irritation**

no data available

**Respiratory or skin sensitisation**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available

**Reproductive toxicity**

no data available

**Specific target organ toxicity - single exposure**

Mixture may cause damage to organs. - Eyes, Central nervous system Mixture may cause drowsiness or dizziness.

**Specific target organ toxicity - repeated exposure**

no data available

**Aspiration hazard**

no data available

**Additional Information**

Central nervous system depression, prolonged or repeated exposure can cause:, narcosis, Skin irritation, Nausea, Headache, Vomiting, Overexposure may cause mild, reversible liver effects.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

### **12.2 Persistence and degradability**

no data available

### **12.3 Bioaccumulative potential**

no data available

### **12.4 Mobility in soil**

no data available

### **12.5 Results of PBT and vPvB assessment**

no data available

### **12.6 Other adverse effects**

no data available

## SECTION 13:

### 13.1 Disposal considerations

#### Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

#### DOT (US)

UN number: 1993	Packing group: II	Class: 3
Proper shipping name: Flammable liquid, n.o.s. (n-Propanol, 2-Propanol, Methanol)	Reportable Quantity(RQ): no data available	Poison Inhalation Hazard: no data available
Environmental Hazards: no		

#### IMDG

UN number: 1993	Packing group: II	EMS-No: no data available
Proper shipping name: Flammable liquid, n.o.s. (n-Propanol, 2-Propanol, Methanol)		

#### IATA

UN number: 1993	Packing group: II	Class: 3
Proper shipping name: Flammable liquid, n.o.s. (n-Propanol, 2-Propanol, Methanol)		

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## SECTION 16: Other information

#### Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1

Revision Date: 2023-11-

Print Date: 2023-11-

07

16